

Customer Signature

THERMAL IMAGING SERVICE ADDENDUM



Date

Date

1. This is an addendum to the Agreement regarding the inspection at:

2. INSF be limit conseq 3. The finvasive exterior OR IMF OPER APROVII 4. There or toxic asbesto electror can aid of the fo shall not 5. CLIE of any histed in other co 6. If CL materia	mal imaging services do NOT include any inspections, examinations, testing or evaluations for harmful, dangerous substances or materials or environmental hazards including but not limited to: mold, bio-aerosols, radon, lead, is, non-biological airborne particulates, contaminants, petroleum products, petrochemicals, radioactive materials, nagnetic radiation, plant, animal, or insect secretions or excretions. Infrared cameras are not moisture meters but in identifying areas that warrant further investigation. If INSPECTOR offers any information or opinions about any orgoing, this information shall be deemed to be informational only and supplied as a courtesy to the CLIENT and it be deemed to be an amendment to this addendum or the inspection agreement. NT agrees to indemnify and hold harmless INSPECTOR, its agents, employees, and inspectors for the presence narmful, dangerous, or toxic substances or materials or environmental hazards including but not limited to those part 4 of this addendum as well as for any and all damages and liability for any mitigation, construction, or any losts associated with the presence of any such hazards or substances or materials. IENT desires to obtain information regarding the presence of any harmful, dangerous, or toxic substances or list or environmental hazards including but not limited to those listed in part 4 of this addendum, it is solely the
materia	
areas o	f specific interest or concern.
7. All of	the other terms of the Agreement (Inspection Contract) are incorporated herein by reference.

319-239-5880 3919 Maryhill Drive, Cedar Falls, Iowa 50613